

Cold Rolled Flat material has had the scale removed, and has a smoother finish than hot rolled. Suitable for painting

Hot rolled flats come from the mill with the scale still in place. Suitable for structural applications and ornamental iron work.

Cold Rolled Flats and Squares usually available in 12 ft. lengths

Hot Rolled Flats and Squares usually available in 20 ft. lengths.

Thickness	Width	Length	Wt. Per Piece
0.125	0.125	144	0.64
0.125	0.250	144	1.28
0.125	0.375	144	1.91
0.125	0.500	144	2.55
0.125	0.625	144	3.19
0.125	0.750	144	3.83
0.125	0.875	144	4.47
0.125	1.000	144	5.10
0.125	1.125	144	5.74
0.125	1.250	144	6.38
0.125	1.375	144	7.02
0.125	1.500	144	7.66
0.125	1.625	144	8.30
0.125	1.750	144	8.93
0.125	1.875	144	9.57
0.125	2.000	144	10.21
0.125	2.250	144	11.49
0.125	2.500	144	12.76
0.125	2.750	144	14.04
0.125	3.000	144	15.31
0.125	3.500	144	17.87
0.125	4.000	144	20.42
0.125	4.500	144	22.97
0.125	5.000	144	25.52
0.125	5.500	144	28.08
0.125	6.000	144	30.63
0.187	0.187	144	1.43
0.187	0.250	144	1.91
0.187	0.375	144	2.86
0.187	0.500	144	3.82
0.187	0.625	144	4.77
0.187	0.750	144	5.73
0.187	0.875	144	6.68
0.187	1.000	144	7.64
0.187	1.125	144	8.59
0.187	1.250	144	9.55
0.187	1.375	144	10.50
0.187	1.500	144	11.46
0.187	1.625	144	12.41
0.187	1.750	144	13.36
0.187	1.875	144	14.32
0.187	2.000	144	15.27
0.187	2.250	144	17.18
0.187	2.500	144	19.09

Thickness	Width	Length	Wt. Per Piece
0.125	0.125	N.A.	0.00
0.125	0.250	N.A.	0.00
0.125	0.375	N.A.	0.00
0.125	0.500	240	4.25
0.125	0.625	240	5.32
0.125	0.750	240	6.38
0.125	0.875	240	7.44
0.125	1.000	240	8.51
0.125	1.125	240	9.57
0.125	1.250	240	10.64
0.125	1.375	240	11.70
0.125	1.500	240	12.76
0.125	1.625	240	13.83
0.125	1.750	240	14.89
0.125	1.875	240	15.95
0.125	2.000	240	17.02
0.125	2.250	240	19.14
0.125	2.500	240	21.27
0.125	2.750	240	23.40
0.125	3.000	240	25.52
0.125	3.500	240	29.78
0.125	4.000	240	34.03
0.125	4.500	240	38.29
0.125	5.000	240	42.54
0.125	5.500	240	46.79
0.125	6.000	240	51.05
0.187	0.187	N.A.	0.00
0.187	0.250	N.A.	0.00
0.187	0.375	N.A.	0.00
0.187	0.500	240	6.36
0.187	0.625	240	7.95
0.187	0.750	240	9.55
0.187	0.875	240	11.14
0.187	1.000	240	12.73
0.187	1.125	240	14.32
0.187	1.250	240	15.91
0.187	1.375	240	17.50
0.187	1.500	240	19.09
0.187	1.625	240	20.68
0.187	1.750	240	22.27
0.187	1.875	240	23.86
0.187	2.000	240	25.46
0.187	2.250	240	28.64
0.187	2.500	240	31.82

Thickness	Width	Length	Piece	Wt. Per
0.187	2.750	144	144	21.00
0.187	3.000	144	144	22.91
0.187	3.500	144	144	26.73
0.187	4.000	144	144	30.55
0.187	4.500	144	144	34.37
0.187	5.000	144	144	38.18
0.187	5.500	144	144	42.00
0.187	6.000	144	144	45.82
0.25	0.250	144	144	2.55
0.25	0.375	144	144	3.83
0.25	0.500	144	144	5.10
0.25	0.625	144	144	6.38
0.25	0.750	144	144	7.66
0.25	0.875	144	144	8.93
0.25	1.000	144	144	10.21
0.25	1.125	144	144	11.49
0.25	1.250	144	144	12.76
0.25	1.375	144	144	14.04
0.25	1.500	144	144	15.31
0.25	1.625	144	144	16.59
0.25	1.750	144	144	17.87
0.25	1.875	144	144	19.14
0.25	2.000	144	144	20.42
0.25	2.250	144	144	22.97
0.25	2.500	144	144	25.52
0.25	2.750	144	144	28.08
0.25	3.000	144	144	30.63
0.25	3.500	144	144	35.73
0.25	4.000	144	144	40.84
0.25	4.500	144	144	45.94
0.25	5.000	144	144	51.05
0.25	5.500	144	144	56.15
0.25	6.000	144	144	61.26
0.25	7.000	144	144	71.47
0.25	8.000	144	144	81.68
0.25	9.000	144	144	91.89
0.25	10.000	144	144	102.10
0.25	12.000	144	144	122.52
0.375	0.375	144	144	5.74
0.375	0.500	144	144	7.66
0.375	0.625	144	144	9.57
0.375	0.750	144	144	11.49
0.375	0.875	144	144	13.40
0.375	1.000	144	144	15.31
0.375	1.125	144	144	17.23
0.375	1.250	144	144	19.14
0.375	1.375	144	144	21.06
0.375	1.500	144	144	22.97
0.375	1.625	144	144	24.89
0.375	1.750	144	144	26.80

Thickness	Width	Length	Piece	Wt. Per
0.187	2.750	240	240	35.00
0.187	3.000	240	240	38.18
0.187	3.500	240	240	44.55
0.187	4.000	240	240	50.91
0.187	4.500	240	240	57.28
0.187	5.000	240	240	63.64
0.187	5.500	240	240	70.00
0.187	6.000	240	240	76.37
0.25	0.250	N.A.	N.A.	0.00
0.25	0.375	N.A.	N.A.	0.00
0.25	0.500	240	240	8.51
0.25	0.625	240	240	10.64
0.25	0.750	240	240	12.76
0.25	0.875	240	240	14.89
0.25	1.000	240	240	17.02
0.25	1.125	240	240	19.14
0.25	1.250	240	240	21.27
0.25	1.375	240	240	23.40
0.25	1.500	240	240	25.52
0.25	1.625	240	240	27.65
0.25	1.750	240	240	29.78
0.25	1.875	240	240	31.91
0.25	2.000	240	240	34.03
0.25	2.250	240	240	38.29
0.25	2.500	240	240	42.54
0.25	2.750	240	240	46.79
0.25	3.000	240	240	51.05
0.25	3.500	240	240	59.56
0.25	4.000	240	240	68.06
0.25	4.500	240	240	76.57
0.25	5.000	240	240	85.08
0.25	5.500	240	240	93.59
0.25	6.000	240	240	102.10
0.25	7.000	240	240	119.11
0.25	8.000	240	240	136.13
0.25	9.000	240	240	153.14
0.25	10.000	240	240	170.16
0.25	12.000	240	240	204.19
0.375	0.375	240	240	9.57
0.375	0.500	240	240	12.76
0.375	0.625	240	240	15.95
0.375	0.750	240	240	19.14
0.375	0.875	240	240	22.33
0.375	1.000	240	240	25.52
0.375	1.125	240	240	28.71
0.375	1.250	240	240	31.91
0.375	1.375	240	240	35.10
0.375	1.500	240	240	38.29
0.375	1.625	240	240	41.48
0.375	1.750	240	240	44.67

Thickness	Width	Length	Piece	Wt. Per
0.375	1.875	144	144	28.71
0.375	2.000	144	144	30.63
0.375	2.250	144	144	34.46
0.375	2.500	144	144	38.29
0.375	2.750	144	144	42.11
0.375	3.000	144	144	45.94
0.375	3.500	144	144	53.60
0.375	4.000	144	144	61.26
0.375	4.500	144	144	68.91
0.375	5.000	144	144	76.57
0.375	5.500	144	144	84.23
0.375	6.000	144	144	91.89
0.375	7.000	144	144	107.20
0.375	8.000	144	144	122.52
0.375	9.000	144	144	137.83
0.375	10.000	144	144	153.14
0.375	12.000	144	144	183.77
0.5	0.500	144	144	10.21
0.5	0.625	144	144	12.76
0.5	0.750	144	144	15.31
0.5	0.875	144	144	17.87
0.5	1.000	144	144	20.42
0.5	1.125	144	144	22.97
0.5	1.250	144	144	25.52
0.5	1.375	144	144	28.08
0.5	1.500	144	144	30.63
0.5	1.625	144	144	33.18
0.5	1.750	144	144	35.73
0.5	1.875	144	144	38.29
0.5	2.000	144	144	40.84
0.5	2.250	144	144	45.94
0.5	2.500	144	144	51.05
0.5	2.750	144	144	56.15
0.5	3.000	144	144	61.26
0.5	3.500	144	144	71.47
0.5	4.000	144	144	81.68
0.5	4.500	144	144	91.89
0.5	5.000	144	144	102.10
0.5	5.500	144	144	112.31
0.5	6.000	144	144	122.52
0.5	7.000	144	144	142.93
0.5	8.000	144	144	163.35
0.5	9.000	144	144	183.77
0.5	10.000	144	144	204.19
0.5	12.000	144	144	245.03
0.625	0.625	144	144	15.95
0.625	0.750	144	144	19.14
0.625	0.875	144	144	22.33
0.625	1.000	144	144	25.52
0.625	1.125	144	144	28.71

Thickness	Width	Length	Piece	Wt. Per
0.375	1.875	240	240	47.86
0.375	2.000	240	240	51.05
0.375	2.250	240	240	57.43
0.375	2.500	240	240	63.81
0.375	2.750	240	240	70.19
0.375	3.000	240	240	76.57
0.375	3.500	240	240	89.33
0.375	4.000	240	240	102.10
0.375	4.500	240	240	114.86
0.375	5.000	240	240	127.62
0.375	5.500	240	240	140.38
0.375	6.000	240	240	153.14
0.375	7.000	240	240	178.67
0.375	8.000	240	240	204.19
0.375	9.000	240	240	229.72
0.375	10.000	240	240	255.24
0.375	12.000	240	240	306.29
0.5	0.500	240	240	17.02
0.5	0.625	240	240	21.27
0.5	0.750	240	240	25.52
0.5	0.875	240	240	29.78
0.5	1.000	240	240	34.03
0.5	1.125	240	240	38.29
0.5	1.250	240	240	42.54
0.5	1.375	240	240	46.79
0.5	1.500	240	240	51.05
0.5	1.625	240	240	55.30
0.5	1.750	240	240	59.56
0.5	1.875	240	240	63.81
0.5	2.000	240	240	68.06
0.5	2.250	240	240	76.57
0.5	2.500	240	240	85.08
0.5	2.750	240	240	93.59
0.5	3.000	240	240	102.10
0.5	3.500	240	240	119.11
0.5	4.000	240	240	136.13
0.5	4.500	240	240	153.14
0.5	5.000	240	240	170.16
0.5	5.500	240	240	187.18
0.5	6.000	240	240	204.19
0.5	7.000	240	240	238.22
0.5	8.000	240	240	272.26
0.5	9.000	240	240	306.29
0.5	10.000	240	240	340.32
0.5	12.000	240	240	408.38
0.625	0.625	240	240	26.59
0.625	0.750	240	240	31.91
0.625	0.875	240	240	37.22
0.625	1.000	240	240	42.54
0.625	1.125	240	240	47.86

Thickness	Width	Length	Piece	Wt. Per
0.625	1.250	144	31.91	
0.625	1.375	144	35.10	
0.625	1.500	144	38.29	
0.625	1.625	144	41.48	
0.625	1.750	144	44.67	
0.625	1.875	144	47.86	
0.625	2.000	144	51.05	
0.625	2.250	144	57.43	
0.625	2.500	144	63.81	
0.625	2.750	144	70.19	
0.625	3.000	144	76.57	
0.625	3.500	144	89.33	
0.625	4.000	144	102.10	
0.625	4.500	144	114.86	
0.625	5.000	144	127.62	
0.625	5.500	144	140.38	
0.625	6.000	144	153.14	
0.625	7.000	144	178.67	
0.625	8.000	144	204.19	
0.625	9.000	144	229.72	
0.625	10.000	144	255.24	
0.625	12.000	144	306.29	
0.75	0.750	144	22.97	
0.75	0.875	144	26.80	
0.75	1.000	144	30.63	
0.75	1.125	144	34.46	
0.75	1.250	144	38.29	
0.75	1.375	144	42.11	
0.75	1.500	144	45.94	
0.75	1.625	144	49.77	
0.75	1.750	144	53.60	
0.75	1.875	144	57.43	
0.75	2.000	144	61.26	
0.75	2.250	144	68.91	
0.75	2.500	144	76.57	
0.75	2.750	144	84.23	
0.75	3.000	144	91.89	
0.75	3.500	144	107.20	
0.75	4.000	144	122.52	
0.75	4.500	144	137.83	
0.75	5.000	144	153.14	
0.75	5.500	144	168.46	
0.75	6.000	144	183.77	
0.75	7.000	144	214.40	
0.75	8.000	144	245.03	
0.75	9.000	144	275.66	
0.75	10.000	144	306.29	
0.75	12.000	144	367.55	
0.875	0.875	144	31.27	
0.875	1.000	144	35.73	

Thickness	Width	Length	Piece	Wt. Per
0.625	1.250	240	53.18	
0.625	1.375	240	58.49	
0.625	1.500	240	63.81	
0.625	1.625	240	69.13	
0.625	1.750	240	74.45	
0.625	1.875	240	79.76	
0.625	2.000	240	85.08	
0.625	2.250	240	95.72	
0.625	2.500	240	106.35	
0.625	2.750	240	116.99	
0.625	3.000	240	127.62	
0.625	3.500	240	148.89	
0.625	4.000	240	170.16	
0.625	4.500	240	191.43	
0.625	5.000	240	212.70	
0.625	5.500	240	233.97	
0.625	6.000	240	255.24	
0.625	7.000	240	297.78	
0.625	8.000	240	340.32	
0.625	9.000	240	382.86	
0.625	10.000	240	425.40	
0.625	12.000	240	510.48	
0.75	0.750	240	38.29	
0.75	0.875	240	44.67	
0.75	1.000	240	51.05	
0.75	1.125	240	57.43	
0.75	1.250	240	63.81	
0.75	1.375	240	70.19	
0.75	1.500	240	76.57	
0.75	1.625	240	82.95	
0.75	1.750	240	89.33	
0.75	1.875	240	95.72	
0.75	2.000	240	102.10	
0.75	2.250	240	114.86	
0.75	2.500	240	127.62	
0.75	2.750	240	140.38	
0.75	3.000	240	153.14	
0.75	3.500	240	178.67	
0.75	4.000	240	204.19	
0.75	4.500	240	229.72	
0.75	5.000	240	255.24	
0.75	5.500	240	280.76	
0.75	6.000	240	306.29	
0.75	7.000	240	357.34	
0.75	8.000	240	408.38	
0.75	9.000	240	459.43	
0.75	10.000	240	510.48	
0.75	12.000	240	612.58	
0.875	0.875	240	52.11	
0.875	1.000	240	59.56	

Thickness	Width	Length	Piece	Wt. Per
0.875	1.125	144	40.20	
0.875	1.250	144	44.67	
0.875	1.375	144	49.13	
0.875	1.500	144	53.60	
0.875	1.625	144	58.07	
0.875	1.750	144	62.53	
0.875	1.875	144	67.00	
0.875	2.000	144	71.47	
0.875	2.250	144	80.40	
0.875	2.500	144	89.33	
0.875	2.750	144	98.27	
0.875	3.000	144	107.20	
0.875	3.500	144	125.07	
0.875	4.000	144	142.93	
0.875	4.500	144	160.80	
0.875	5.000	144	178.67	
0.875	5.500	144	196.53	
0.875	6.000	144	214.40	
0.875	7.000	144	250.14	
0.875	8.000	144	285.87	
0.875	9.000	144	321.60	
0.875	10.000	144	357.34	
0.875	12.000	144	428.80	
1	1.000	144	40.84	
1	1.125	144	45.94	
1	1.250	144	51.05	
1	1.375	144	56.15	
1	1.500	144	61.26	
1	1.625	144	66.36	
1	1.750	144	71.47	
1	1.875	144	76.57	
1	2.000	144	81.68	
1	2.250	144	91.89	
1	2.500	144	102.10	
1	2.750	144	112.31	
1	3.000	144	122.52	
1	3.500	144	142.93	
1	4.000	144	163.35	
1	4.500	144	183.77	
1	5.000	144	204.19	
1	5.500	144	224.61	
1	6.000	144	245.03	
1	7.000	144	285.87	
1	8.000	144	326.71	
1	9.000	144	367.55	
1	10.000	144	408.38	
1	12.000	144	490.06	
1.25	1.250	144	63.81	
1.25	1.375	144	70.19	
1.25	1.500	144	76.57	

Thickness	Width	Length	Piece	Wt. Per
0.875	1.125	240	67.00	
0.875	1.250	240	74.45	
0.875	1.375	240	81.89	
0.875	1.500	240	89.33	
0.875	1.625	240	96.78	
0.875	1.750	240	104.22	
0.875	1.875	240	111.67	
0.875	2.000	240	119.11	
0.875	2.250	240	134.00	
0.875	2.500	240	148.89	
0.875	2.750	240	163.78	
0.875	3.000	240	178.67	
0.875	3.500	240	208.45	
0.875	4.000	240	238.22	
0.875	4.500	240	268.00	
0.875	5.000	240	297.78	
0.875	5.500	240	327.56	
0.875	6.000	240	357.34	
0.875	7.000	240	416.89	
0.875	8.000	240	476.45	
0.875	9.000	240	536.00	
0.875	10.000	240	595.56	
0.875	12.000	240	714.67	
1	1.000	240	68.06	
1	1.125	240	76.57	
1	1.250	240	85.08	
1	1.375	240	93.59	
1	1.500	240	102.10	
1	1.625	240	110.60	
1	1.750	240	119.11	
1	1.875	240	127.62	
1	2.000	240	136.13	
1	2.250	240	153.14	
1	2.500	240	170.16	
1	2.750	240	187.18	
1	3.000	240	204.19	
1	3.500	240	238.22	
1	4.000	240	272.26	
1	4.500	240	306.29	
1	5.000	240	340.32	
1	5.500	240	374.35	
1	6.000	240	408.38	
1	7.000	240	476.45	
1	8.000	240	544.51	
1	9.000	240	612.58	
1	10.000	240	680.64	
1	12.000	240	816.77	
1.25	1.250	240	106.35	
1.25	1.375	240	116.99	
1.25	1.500	240	127.62	

Thickness	Width	Length	Piece	Wt. Per
1.25	1.625	144	82.95	
1.25	1.750	144	89.33	
1.25	1.875	144	95.72	
1.25	2.000	144	102.10	
1.25	2.250	144	114.86	
1.25	2.500	144	127.62	
1.25	2.750	144	140.38	
1.25	3.000	144	153.14	
1.25	3.500	144	178.67	
1.25	4.000	144	204.19	
1.25	4.500	144	229.72	
1.25	5.000	144	255.24	
1.25	5.500	144	280.76	
1.25	6.000	144	306.29	
1.25	7.000	144	357.34	
1.25	8.000	144	408.38	
1.25	9.000	144	459.43	
1.25	10.000	144	510.48	
1.25	12.000	144	612.58	
1.5	1.500	144	91.89	
1.5	1.625	144	99.54	
1.5	1.750	144	107.20	
1.5	1.875	144	114.86	
1.5	2.000	144	122.52	
1.5	2.250	144	137.83	
1.5	2.500	144	153.14	
1.5	2.750	144	168.46	
1.5	3.000	144	183.77	
1.5	3.500	144	214.40	
1.5	4.000	144	245.03	
1.5	4.500	144	275.66	
1.5	5.000	144	306.29	
1.5	5.500	144	336.92	
1.5	6.000	144	367.55	
1.5	7.000	144	428.80	
1.5	8.000	144	490.06	
1.5	9.000	144	551.32	
1.5	10.000	144	612.58	
1.5	12.000	144	735.09	
1.75	1.750	144	125.07	
1.75	1.875	144	134.00	
1.75	2.000	144	142.93	
1.75	2.250	144	160.80	
1.75	2.500	144	178.67	
1.75	2.750	144	196.53	
1.75	3.000	144	214.40	
1.75	3.500	144	250.14	
1.75	4.000	144	285.87	
1.75	4.500	144	321.60	
1.75	5.000	144	357.34	

Thickness	Width	Length	Piece	Wt. Per
1.25	1.625	240	138.26	
1.25	1.750	240	148.89	
1.25	1.875	240	159.53	
1.25	2.000	240	170.16	
1.25	2.250	240	191.43	
1.25	2.500	240	212.70	
1.25	2.750	240	233.97	
1.25	3.000	240	255.24	
1.25	3.500	240	297.78	
1.25	4.000	240	340.32	
1.25	4.500	240	382.86	
1.25	5.000	240	425.40	
1.25	5.500	240	467.94	
1.25	6.000	240	510.48	
1.25	7.000	240	595.56	
1.25	8.000	240	680.64	
1.25	9.000	240	765.72	
1.25	10.000	240	850.80	
1.25	12.000	240	1020.96	
1.5	1.500	240	153.14	
1.5	1.625	240	165.91	
1.5	1.750	240	178.67	
1.5	1.875	240	191.43	
1.5	2.000	240	204.19	
1.5	2.250	240	229.72	
1.5	2.500	240	255.24	
1.5	2.750	240	280.76	
1.5	3.000	240	306.29	
1.5	3.500	240	357.34	
1.5	4.000	240	408.38	
1.5	4.500	240	459.43	
1.5	5.000	240	510.48	
1.5	5.500	240	561.53	
1.5	6.000	240	612.58	
1.5	7.000	240	714.67	
1.5	8.000	240	816.77	
1.5	9.000	240	918.86	
1.5	10.000	240	1020.96	
1.5	12.000	240	1225.15	
1.75	1.750	240	208.45	
1.75	1.875	240	223.34	
1.75	2.000	240	238.22	
1.75	2.250	240	268.00	
1.75	2.500	240	297.78	
1.75	2.750	240	327.56	
1.75	3.000	240	357.34	
1.75	3.500	240	416.89	
1.75	4.000	240	476.45	
1.75	4.500	240	536.00	
1.75	5.000	240	595.56	

Thickness	Width	Length	Piece	Wt. Per
1.75	5.500	144	393.07	
1.75	6.000	144	428.80	
1.75	7.000	144	500.27	
1.75	8.000	144	571.74	
1.75	9.000	144	643.20	
1.75	10.000	144	714.67	
1.75	12.000	144	857.61	
2	2.000	144	163.35	
2	2.250	144	183.77	
2	2.500	144	204.19	
2	2.750	144	224.61	
2	3.000	144	245.03	
2	3.500	144	285.87	
2	4.000	144	326.71	
2	4.500	144	367.55	
2	5.000	144	408.38	
2	5.500	144	449.22	
2	6.000	144	490.06	
2	7.000	144	571.74	
2	8.000	144	653.41	
2	9.000	144	735.09	
2	10.000	144	816.77	
2	12.000	144	980.12	
2.5	2.500	144	255.24	
2.5	3.000	144	306.29	
2.5	3.500	144	357.34	
2.5	4.000	144	408.38	
2.5	5.000	144	510.48	
2.5	6.000	144	612.58	
2.5	7.000	144	714.67	
2.5	8.000	144	816.77	
2.5	9.000	144	918.86	
2.5	10.000	144	1020.96	
2.5	12.000	144	1225.15	
3	3.000	144	367.55	
3	3.500	144	428.80	
3	4.000	144	490.06	
3	5.000	144	612.58	
3	6.000	144	735.09	
3	7.000	144	857.61	
3	8.000	144	980.12	
3	9.000	144	1102.64	
3	10.000	144	1225.15	
3	12.000	144	1470.18	
4	4.000	144	653.41	
4	5.000	144	816.77	
4	6.000	144	980.12	
4	7.000	144	1143.48	
4	8.000	144	1306.83	
4	9.000	144	1470.18	

Thickness	Width	Length	Piece	Wt. Per
1.75	5.500	240	655.12	
1.75	6.000	240	714.67	
1.75	7.000	240	833.78	
1.75	8.000	240	952.90	
1.75	9.000	240	1072.01	
1.75	10.000	240	1191.12	
1.75	12.000	240	1429.34	
2	2.000	240	272.26	
2	2.250	240	306.29	
2	2.500	240	340.32	
2	2.750	240	374.35	
2	3.000	240	408.38	
2	3.500	240	476.45	
2	4.000	240	544.51	
2	4.500	240	612.58	
2	5.000	240	680.64	
2	5.500	240	748.70	
2	6.000	240	816.77	
2	7.000	240	952.90	
2	8.000	240	1089.02	
2	9.000	240	1225.15	
2	10.000	240	1361.28	
2	12.000	240	1633.54	
2.5	2.500	240	425.40	
2.5	3.000	240	510.48	
2.5	3.500	240	595.56	
2.5	4.000	240	680.64	
2.5	5.000	240	850.80	
2.5	6.000	240	1020.96	
2.5	7.000	240	1191.12	
2.5	8.000	240	1361.28	
2.5	9.000	240	1531.44	
2.5	10.000	240	1701.60	
2.5	12.000	240	2041.92	
3	3.000	240	612.58	
3	3.500	240	714.67	
3	4.000	240	816.77	
3	5.000	240	1020.96	
3	6.000	240	1225.15	
3	7.000	240	1429.34	
3	8.000	240	1633.54	
3	9.000	240	1837.73	
3	10.000	240	2041.92	
3	12.000	240	2450.30	
4	4.000	240	1089.02	
4	5.000	240	1361.28	
4	6.000	240	1633.54	
4	7.000	240	1905.79	
4	8.000	240	2178.05	
4	9.000	240	2450.30	

Thickness	Width	Length	Wt. Per Piece
4	10.000	144	1633.54
4	12.000	144	1960.24
5	5.000	144	1020.96
5	6.000	144	1225.15
5	7.000	144	1429.34
5	8.000	144	1633.54
5	9.000	144	1837.73
5	10.000	144	2041.92
5	12.000	144	2450.30
6	6.000	144	1470.18
6	8.000	144	1960.24
6	10.000	144	2450.30
6	12.000	144	2940.36

Thickness	Width	Length	Wt. Per Piece
4	10.000	240	2722.56
4	12.000	240	3267.07
5	5.000	240	1701.60
5	6.000	240	2041.92
5	7.000	240	2382.24
5	8.000	240	2722.56
5	9.000	240	3062.88
5	10.000	240	3403.20
5	12.000	240	4083.84
6	6.000	240	2450.30
6	8.000	240	3267.07
6	10.000	240	4083.84
6	12.000	240	4900.61